Int. J. Gynecol. Obstet., 1989, 29: 397—400
International Federation of Gynecology and Obstetrics

Subject Index

Volume 29

abdominal delivery, cesarean section, infectious complications, endometritis, wound infection, antibiotic prophylaxis, 135
abortion, cervical dilatation, laminaria tent, blood loss, 73
abortion, illegal, induced, mortality, Ilorin, 65
abruptio placentae, acute appendicitis, 179
abruptio placentae, antepartum hemorrhage, perinatal mortality, 117
absence, ovary, congenital, 377
acceptability and safety, comparison of T Cu 200 and lippes loop, 173
acute appendicitis, abruptio placentae, 179
adenocarcinoma, angiogenesis, endometrium, blood vessels, 343
adolescent, ovarian development, ultrasound, child, 57
adolescents, neonatal and maternal death, pregnancy outcome, maternal and child health care, 329
Alexandria units, uterine activity, oxytocin, postmaturity, 325
amniotic fluid, fetal sex, race, lecithin, lung maturation, normal pregnancy, 125
amniotic fluid, surfactant apoprotein, fetus, lung maturation, 147
amplitudes, superconducting quantum interference device, biomagnetometer, leiomyomas, uterus, detection, 47
angiogenesis, adenocarcinoma, endometrium, blood vessels, 343
antenatal screening, syphilis, Nigeria, 321
antepartum hemorrhage, abruptio placentae, perinatal mortality, 117
anthropometric figure, birthweight, fetal growth, gestational age, perinatal growth chart, ethnic variables, 227
anti-chromogranin, immunohistochemistry, neuroendocrine cell, gynecologic tumor with argyrophilia, anti-neuroendocrine, 165
anti-neuroendocrine, immunohistochemistry, neuroendocrine cell, gynecologic tumor with argyrophilia, anti-chromogranin, 165
antibiotic prophylaxis, cesarean section, abdominal delivery, infectious complications, endometritis, wound infection, 135
antiprogestin, pregnancy termination, vacuum aspiration, prostaglandins, epostane, RU 486, 5

biomagnetometer, superconducting quantum interference device, leiomyomas, uterus, detection, amplitudes, 47
birthweight, ethnicity, 289
birthweight, fetal growth, gestational age, perinatal growth chart, ethnic variables, anthropometric figure, 227
birthweight, zinc, copper, pregnancy, Nigerian women, 19
birth order, twin delivery, neonatal outcome, cesarean section, neonatal mortality, neonatal morbidity, 297
blood loss, cervical dilatation, laminaria tent, abortion, 73
blood vessels, angiogenesis, adenocarcinoma, endometrium, 343

cancer cervix, schistosomiasis, 263
causes of maternal deaths, maternal mortality ratio, direct obstetric deaths, developing country, rural community, 313
cervical dilatation, laminaria tent, blood loss, abortion, 73
cesarean section, abdominal delivery, infectious complications, endometritis, wound infection, antibiotic prophylaxis, 135
cesarean section, FHR monitoring, fetal distress, 215
cesarean section, interval, intrauterine contraceptive device, expulsion, follow-up, single center, 243
cesarean section, pregnancy, delivery, maternal complications, maternal mortality, perinatal mortality, 131
cesarean section, twin delivery, neonatal outcome, neonatal mortality, neonatal morbidity, birth order, 297
child, ovarian development, ultrasound, adolescent, 57
Chlamydia trachomatis, ocular-genital infections, laboratory tests, 107
chloride, copper, zinc, trace elements, sodium, potassium, hyperemesis gravidarum, 207
chorionic gonadotropin, granulosa cell tumor, virilizing, testosterone, 17-ketosteroid, oral contraceptive, 87
clomiphene citrate, conception, endometrium, ovulatory changes, progesterone, unexplained infertility, 239
comparison of T Cu 200 and lippes loop, acceptability and safety, 173
complications, hydatidiform mole, maternal age, Nigeria, 219
conception, clomiphene citrate, endometrium, ovulatory changes, progesterone, unexplained infertility, 239
congenital, ovary, absence, 377
copper, zinc, pregnancy, Nigerian women, birthweight, 19
copper, zinc, trace elements, chloride, sodium, potassium, hyperemesis gravidarum, 207
cord blood, gamma-glutamyl transpeptidase, placental dysfunction, fetal liver, 31

danazol, hepatic damage, traditional herbal medicine, 337
delivery, pregnancy, cesarean section, maternal complications, maternal mortality, perinatal mortality, 131
detection, superconducting quantum interference device, biomagnetometer, leiomyomas, uterus, amplitudes, 47
developing country, Maternal mortality, transfer, 13
developing country, maternal mortality ratio, causes of maternal deaths, direct obstetric deaths, rural community, 313

dextran, tubal surgery, peritonitis, 181
direct obstetric deaths, maternal mortality ratio, causes of maternal deaths, developing country, rural community, 313
donor, ovum transfer, retained pregnancy, 83
Doppler ultrasound, umbilical artery velocity waveform, growth retardation, placental/fetal weight ratio, 25

ectopic pregnancy, endoscopic surgery, laser, 153
ectopic pregnancy, human chorionic gonadotropin, laparoscopy, salpingectomy, salpingostomy, trophoblast, 79
ectopic pregnancy, interstitial pregnancy, 373
ectopic pregnancy, interstitial pregnancy, tubar pregnancy, salpingitis isthmica nodosa, 185
elderly patients, hydatidiform mole, primary hysterectomy, suction curettage, postmolar gestational trophoblastic disease, 233
endometritis, cesarean section, abdominal delivery, infectious complications, wound infection, antibiotic prophylaxis, 135
endometrium, angiogenesis, adenocarcinoma, blood vessels, 343
endometrium, clomiphene citrate, conception, ovulatory changes, progesterone, unexplained infertility, 239
endoscopic surgery, laser, ectopic pregnancy, 153
epostane, pregnancy termination, vacuum aspiration, prostaglandins, antiprogestin, RU 486, 5
estrogen receptor, uterine leiomyoma, myometrium, radio-receptor assay, immunocytochemical staining, 189
ethnicity, birthweight, 289
ethnic variables, birthweight, fetal growth, gestational age, perinatal growth chart, anthropometric figure, 227
expulsion, interval, intrauterine contraceptive device, cesarean section, follow-up, single center, 243

fetal distress, FHR monitoring, cesarean section, 215
fetal growth, birthweight, gestational age, perinatal growth chart, ethnic variables, anthropometric figure, 227
fetal liver, gamma-glutamyl transpeptidase, placental dysfunction, cord blood, 31
fetal sex, race, amniotic fluid, lecithin, lung maturation, normal pregnancy, 125
fetus, surfactant apoprotein, amniotic fluid, lung maturation, 147
FHR monitoring, cesarean section, fetal distress, 215
follow-up, interval, intrauterine contraceptive device, cesarean section, expulsion, single center, 243
foot length, gestational age, ultrasound, 35

gamma-glutamyl transpeptidase, placental dysfunction, cord blood, fetal liver, 31
genital, herpes simplex virus, laboratory diagnosis, 51
gestational age, birthweight, fetal growth, perinatal growth chart, ethnic variables, anthropometric figure, 227
gestational age, foot length, ultrasound, 35
gestational age, ultrasound, thoracic diameters, 301
granulosa cell tumor, virilizing, testosterone, 17-ketosteroid, chorionic gonadotropin, oral contraceptive, 87
growth retardation, Doppler ultrasound, umbilical artery velocity waveform, placental/fetal weight ratio, 25
gynecologic tumor with argyrophilia, immunohistochemistry, neuroendocrine cell, anti-chromogranin, anti-neuroendocrine, 165

hepatic damage, danazol, traditional herbal medicine, 337
herpes simplex virus, genital, laboratory diagnosis, 51
human chorionic gonadotropin, ectopic pregnancy, laparoscopy, salpingectomy, salpingostomy, trophoblast, 79
hydatidiform mole, elderly patients, primary hysterectomy, suction curettage, postmolar gestational trophoblastic disease, 233
hydatidiform mole, maternal age, complications, Nigeria, 219
hyperemesis gravidarum, copper, zinc, trace elements, chloride, sodium, potassium, 207
hyperparathyroidism, pregnancy, 253
hyperreactio luteinalis, normal pregnancy, maternal virilization, 365
hysterectomy, sexual intercourse, pneumoperitoneum, peritoneovaginal fistula, 257

illegal, induced, abortion, mortality, Ilorin, 65
Ilorin, illegal, induced, abortion, mortality, 65
immunocytochemical staining, uterine leiomyoma, myometrium, radio-receptor assay, estrogen receptor, 189
immunocytochemistry, melanoma, vagina, monoclonal antibody, 159
immunohistochemistry, neuroendocrine cell, gynecologic tumor with argyrophilia, anti-chromogranin, anti-neuroendocrine, 165
induced, illegal, abortion, mortality, Ilorin, 65
infectious complications, cesarean section, abdominal delivery, endometritis, wound infection, antibiotic prophylaxis, 135
interstitial pregnancy, ectopic pregnancy, 373
interstitial pregnancy, tubar pregnancy, ectopic pregnancy, salpingitis isthmica nodosa, 185
interval, intrauterine contraceptive device, cesarean section, expulsion, follow-up, single center, 243
intrauterine contraceptive device, interval, cesarean section, expulsion, follow-up, single center, 243

17-ketosteroid, granulosa cell tumor, virilizing, testosterone, chorionic gonadotropin, oral contraceptive, 87

laboratory diagnosis, genital, herpes simplex virus, 51
laboratory tests, *Chlamydia trachomatis,* ocular-genital infections, 107
laminaria tent, cervical dilatation, blood loss, abortion, 73
laparoscopy, human chorionic gonadotropin, ectopic pregnancy, salpingectomy, salpingostomy, trophoblast, 79
laser, endoscopic surgery, ectopic pregnancy, 153
late fetal demise, prostaglandin E2, 269
lecithin, fetal sex, race, amniotic fluid, lung maturation, normal pregnancy, 125
leiomyomas, superconducting quantum interference device, biomagnetometer, uterus, detection, amplitudes, 47

lung maturation, fetal sex, race, amniotic fluid, lecithin, normal pregnancy, 125
lung maturation, surfactant apoprotein, amniotic fluid, fetus, 147

maternal age, hydatidiform mole, complications, Nigeria, 219
maternal and child health care, adolescents, neonatal and maternal death, pregnancy outcome, 329
maternal complications, pregnancy, delivery, cesarean section, maternal mortality, perinatal mortality, 131
maternal mortality, developing country, transfer, 13
maternal mortality, pregnancy, delivery, cesarean section, maternal complications, perinatal mortality, 131
maternal mortality ratio, causes of maternal deaths, direct obstetric deaths, developing country, rural community, 313
maternal virilization, hyperreactio luteinalis, normal pregnancy, 365
melanoma, vagina, immunocytochemistry, monoclonal antibody, 159
meperidine, pregnancy, pharmacokinetics, 143
monoclonal antibody, melanoma, vagina, immunocytochemistry, 159
mortality, illegal, induced, abortion, Ilorin, 65
myometrium, uterine leiomyoma, radio-receptor assay, estrogen receptor, immunocytochemical staining, 189

neonatal and maternal death, adolescents, pregnancy outcome, maternal and child health care, 329
neonatal morbidity, twin delivery, neonatal outcome, cesarean section, neonatal mortality, birth order, 297
neonatal mortality, twin delivery, neonatal outcome, cesarean section, neonatal morbidity, birth order, 297
neonatal outcome, twin delivery, cesarean section, neonatal mortality, neonatal morbidity, birth order, 297
neuroendocrine cell, immunohistochemistry, gynecologic tumor with argyrophilia, anti-chromogranin, anti-neuroendocrine, 165
Nigeria, hydatidiform mole, maternal age, complications, 219
Nigeria, syphilis, antenatal screening, 321
Nigerian women, zinc, copper, pregnancy, birthweight, 19
normal pregnancy, fetal sex, race, amniotic fluid, lecithin, lung maturation, 125
normal pregnancy, hyperreactio luteinalis, maternal virilization, 365

ocular-genital infections, *Chlamydia trachomatis,* laboratory tests, 107
oral contraceptive, granulosa cell tumor, virilizing, testosterone, 17-ketosteroid, chorionic gonadotropin, 87
ovarian development, ultrasound, child, adolescent, 57
ovary, absence, congenital, 377
ovulatory changes, clomiphene citrate, conception, endometrium, progesterone, unexplained infertility, 239
ovum transfer, donor, retained pregnancy, 83
oxytocin, uterine activity, Alexandria units, postmaturity, 325

perinatal growth chart, birthweight, fetal growth, gestational age, ethnic variables, anthropometric figure, 227
perinatal mortality, abruptio placentae, antepartum hemorrhage, 117
perinatal mortality, pregnancy, delivery, cesarean section, maternal complications, maternal mortality, 131
peritoneovaginal fistula, hysterectomy, sexual intercourse, pneumoperitoneum, 257
peritonitis, dextran, tubal surgery, 181
pharmacokinetics, pregnancy, meperidine, 143
placental/fetal weight ratio, Doppler ultrasound, umbilical artery velocity waveform, growth retardation, 25
placental dysfunction, gamma-glutamyl transpeptidase, cord blood, fetal liver, 31
platelet inhibitors, pregnancy, relapsing thrombotic thrombocytopenic purpura, 359
pneumoperitoneum, hysterectomy, sexual intercourse, peritoneovaginal fistula, 257
postmaturity, uterine activity, Alexandria units, oxytocin, 325
postmolar gestational trophoblastic disease, hydatidiform mole, elderly patients, primary hysterectomy, suction curettage, 233
potassium, copper, zinc, trace elements, chloride, sodium, hyperemesis gravidarum, 207
preeclampsia, pregnancy induced hypertension, transient blindness, 249
pregnancy, delivery, cesarean section, maternal complications, maternal mortality, perinatal mortality, 131
pregnancy, hyperparathyroidism, 253
pregnancy, meperidine, pharmacokinetics, 143
pregnancy, platelet inhibitors, relapsing thrombotic thrombocytopenic purpura, 359
pregnancy, toxoplasmosis, serological tests, Saudi Arabia, screening, *Toxoplasma gondii,* 39
pregnancy, zinc, copper, Nigerian women, birthweight, 19
pregnancy complications, ultrasound, twins, 121
pregnancy induced hypertension, transient blindness, preeclampsia, 249
pregnancy outcome, adolescents, neonatal and maternal death, maternal and child health care, 329
pregnancy termination, vacuum aspiration, prostaglandins, antiprogestin, epostane, RU 486, 5
previous cesarean section, trial of labor, 307
primary hysterectomy, hydatidiform mole, elderly patients, suction curettage, postmolar gestational trophoblastic disease, 233
progesterone, clomiphene citrate, conception, endometrium, ovulatory changes, unexplained infertility, 239
prostaglandins, pregnancy termination, vacuum aspiration, antiprogestin, epostane, RU 486, 5
prostaglandin E2, late fetal demise, 269

race, fetal sex, amniotic fluid, lecithin, lung maturation, normal pregnancy, 125
radio-receptor assay, uterine leiomyoma, myometrium, estrogen receptor, immunocytochemical staining, 189
relapsing thrombotic thrombocytopenic purpura, pregnancy, platelet inhibitors, 359
retained pregnancy, ovum transfer, donor, 83

rural community, maternal mortality ratio, causes of maternal deaths, direct obstetric deaths, developing country, 313
RU 486, pregnancy termination, vacuum aspiration, prostaglandins, antiprogestin, epostane, 5

salpingectomy, human chorionic gonadotropin, ectopic pregnancy, laparoscopy, salpingostomy, trophoblast, 79
salpingitis isthmica nodosa, interstitial pregnancy, tubar pregnancy, ectopic pregnancy, 185
salpingostomy, human chorionic gonadotropin, ectopic pregnancy, laparoscopy, salpingectomy, trophoblast, 79
Saudi Arabia, toxoplasmosis, pregnancy, serological tests, screening, *Toxoplasma gondii,* 39
schistosomiasis, cancer cervix, 263
screening, toxoplasmosis, pregnancy, serological tests, Saudi Arabia, *Toxoplasma gondii,* 39
serological tests, toxoplasmosis, pregnancy, Saudi Arabia, screening, *Toxoplasma gondii,* 39
sexual intercourse, hysterectomy, pneumoperitoneum, peritoneovaginal fistula, 257
single center, interval, intrauterine contraceptive device, cesarean section, expulsion, follow-up, 243
sodium, copper, zinc, trace elements, chloride, potassium, hyperemesis gravidarum, 207
suction curettage, hydatidiform mole, elderly patients, primary hysterectomy, postmolar gestational trophoblastic disease, 233
superconducting quantum interference device, biomagnetometer, leiomyomas, uterus, detection, amplitudes, 47
surfactant apoprotein, amniotic fluid, fetus, lung maturation, 147
syphilis, antenatal screening, Nigeria, 321

testosterone, granulosa cell tumor, virilizing, 17-ketosteroid, chorionic gonadotropin, oral contraceptive, 87
thoracic diameters, ultrasound, gestational age, 301
Toxoplasma gondii, toxoplasmosis, pregnancy, serological tests, Saudi Arabia, screening, 39
toxoplasmosis, pregnancy, serological tests, Saudi Arabia, screening, Toxoplasma gondii, 39
trace elements, copper, zinc, chloride, sodium, potassium, hyperemesis gravidarum, 207
traditional herbal medicine, danazol, hepatic damage, 337
transfer, Maternal mortality, developing country, 13
transient blindness, pregnancy induced hypertension, preeclampsia, 249
trial of labor, previous cesarean section, 307
trophoblast, human chorionic gonadotropin, ectopic pregnancy, laparoscopy, salpingectomy, salpingostomy, 79
tubal surgery, dextran, peritonitis, 181
tubar pregnancy, interstitial pregnancy, ectopic pregnancy, salpingitis isthmica nodosa, 185
twins, ultrasound, pregnancy complications, 121
twin delivery, neonatal outcome, cesarean section, neonatal mortality, neonatal morbidity, birth order, 297

ultrasound, ovarian development, child, adolescent, 57
ultrasound, foot length, gestational age, 35
ultrasound, thoracic diameters, gestational age, 301
ultrasound, twins, pregnancy complications, 121
umbilical artery velocity waveform, Doppler ultrasound, growth retardation, placental/fetal weight ratio, 25
unexplained infertility, clomiphene citrate, conception, endometrium, ovulatory changes, progesterone, 239
uterine activity, Alexandria units, oxytocin, postmaturity, 325
uterine leiomyoma, myometrium, radio-receptor assay, estrogen receptor, immunocytochemical staining, 189
uterus, superconducting quantum interference device, biomagnetometer, leiomyomas, detection, amplitudes, 47

vacuum aspiration, pregnancy termination, prostaglandins, antiprogestin, epostane, RU 486, 5
vagina, melanoma, immunocytochemistry, monoclonal antibody, 159
virilizing, granulosa cell tumor, testosterone, 17-ketosteroid, chorionic gonadotropin, oral contraceptive, 87

wound infection, cesarean section, abdominal delivery, infectious complications, endometritis, antibiotic prophylaxis, 135

zinc, copper, pregnancy, Nigerian women, birthweight, 19
zinc, copper, trace elements, chloride, sodium, potassium, hyperemesis gravidarum, 207

Int. J. Gynecol. Obstet., 1989, 29: 401—403
International Federation of Gynecology and Obstetrics

Author Index

Volume 29

Adashi, E.Y. 79
Adetoro, O.O. 65
Agarwal, N. 35
Aisien, O.A. 173
Al-Meshari, A.A. 39
Ali, H.A. 329
Ali, R. 329
Amole, F.A. 19
Anandalakshmi, M. 35
Anastasiadis, P.G. 47
Anninos, P.A. 47
Anwar, M.Y. 325
Aoki, S. 25
Astedt, B. 73
Ayhan, A. 131

Baglioni, A. 239
Bahar, A.M. 233
Baiocchi, G. 159
Bakir, T.F. 51
Barik, S. 313
Bartnicki, J. 31
Berardi, J.-C. 13
Berchuck, A. 257
Bishop, A. 253
Blaakaer, J. 179
Blickstein, I. 121
Bogaars, H.A. 87
Bowen, D. 243
Brioschi, D. 239
Buckshee, K. 35
Bucovaz, E.T. 143
Bugalho, A. 297
Bygdeman, M. 5

Carlomagno, G. 297
Caspi, B. 121
Ceci, O. 227
Chattopadhyay, S.K. 39
Chowdhury, M.N.H. 39
Chukudebelu, W.O. 321
Clausen, I. 185
Cohen, M. 215
Cole, T.J. 289
Coli, A. 159

Dare, F.O. 377
Darwish, E. 207
Darwish, E.A. 325
Davis, H.C. 125
De Silva, S.K. 39
De-Silva, S. 51
Deorari, A. 35
Diaferia, A. 227
Djanhan, Y. 13
Dorta, M. 239
Ducey, J. 307
Duvvi, H. 117
D'Agostino, G. 227

Egwuatu, V.E. 219
El Maradny, E. 207
El Sebaie, F. 207
El Tabbakh, G. 207,263
El-Ashnehi, M.S. 233
El-Sheikh, M.M. 51
Eldor, A. 359
Emofurieta, W.O. 19
Ezra, Y. 359

Fadel, H.E. 125
Fedele, L. 239
Ferrone, S. 159
Fishman, A. 373
Forleo, R. 57
Friedman, A. 121
Fujimori, R. 337

Gal, D. 373
Galal, S. 207
Galazios, G.C. 47
Gentili, P. 57
Gini, P.C. 321
Giorlandino, C. 57
Gleicher, N. 57
Goldstuck, N.D. 243
Goodman, J.D.S. 253

Haiba, N.A. 325
Hamzat, M.A. 263
Hata, K. 25,301
Hata, T. 25,301
Helman, N.S. 269
Hill, N.C.W. 253
Hirakawa, T. 365
Hisanaga, S. 147
Holloway, G.A. 243
Hosmann, J. 153

Hossain, A. 51
Hossain, A. 107
Huber, J. 153

Inoue, M. 165
Inoue, Y. 165
Ismail, A.A.A. 325

Jonasson, A. 73
Jozwik, M. 31

Kaku, T. 365
Kashimura, M. 189
Kashiwabara, Y. 147
Katoh, S. 25
Katz, E. 79
Kauhanen, O. 135
Kessel, E. 1
Khawaja, M.M. 51
Kisnisci, 131
Kitao, M. 25,301
Koutsougeras, G.C. 47
Kumar, R. 313
Kumar, V. 313

Lancet, M. 121
Larsson, B. 73
Lecander, I. 73
Liberis, V.A. 47
Lloyd-Davies, S.V. 253
Locorotondo, V. 227
Loizzi, P. 227
Loutfi, I. 207

Madani, M.E. 51
Makinde, O.N. 377
Makinde, O.O. 377
Mancuso, S. 57,159
Marchini, M. 239
Martin, R.W. 269
Martin, Jr. J.N. 269
Massad, L.S. 257
Matsukuma, K. 365
Mhaskar, R. 35
Mohie El-Din Khowesah, M. 325
Moller, B.R. 179
Mordel, N. 359
Morrison, J.C. 143
Morrison, J.C. 269

Nakano, H. 147,365
Nalini, V. 117
Nalliah, S. 249
Natali, P.G. 159
Nelson, G.H. 125
Nessa, F. 329
Nishii, O. 337
Nissan, S. 181
Njoku-Obi, A.N. 321

Odutayo, R. 377
Okadome, M. 365
Okamura, T. 337
Okamura, Y. 189
Okonofua, F. 19
Onoyama, Y. 147
Osamu, T. 301
Otsuka, H. 189
Ozumba, B.C. 219

Palczak, R. 343
Palti, Z. 181
Panici, P.B. 159
Papiernik, E. 13
Petersen, K. 179
Petersen, L.K. 185
Petrikovsky, B.M. 215
Pinotti, J.A. 105

Rahman, S. 329
Rai, L. 117
Rao, U.R. 117
Ratnam, S.S. 289
Richard, A. 13
Rosenn, B. 181

Saad, S.A. 125
Saarikoski, S. 135
Sadovsky, E. 359
Saito, J. 165
Saito, T. 365
Santoriello, K. 257
Sauer, M.V. 83
Scambia, G. 159
Schenker, J.G. 359
Sengupta, B.S. 51
Senoh, D. 25
Senthilselvan, A. 233
Shaala, S.A. 325
Sharma, A.K. 313
Shimizu, C. 165
Shimokawa, H. 147
Shinohara, M. 189
Siddiqui, M.A. 51
Sivridis, E.L. 47
Sledziewski, A. 31
Splawinski, J. 343
Stafford, D.T. 143
Strolego, F. 297
Suonio, S. 135

Takamiya, O. 25
Takeuchi, T. 337
Takkar, D. 35

Tanaka, Y. 165
Tancer, M.L. 215
Tanizawa, O. 165
Taramanni, C. 57
Tartagni M. 227
Thavarashah, A.S. 249
Thorner, N.S. 307
Todd, E.L. 143
Tsukamoto, N. 365
Tucci, J.R. 87

Udassin, R. 181
Ueda, G. 165
Uehira, K. 365
Ugwu, N.C. 19
Urban, J. 31

Vaidehi, 117
Van Look, P.F.A. 5
Veridiano, N.P. 307
Viegas, O.A.C. 289
Vizzone, A. 57
Vohlonen, I. 135
Vytiska-Binstorfer E. 153

Weissman, A. 373
Wilken-Jensen, C. 179
Wright, E.A. 173

Yaginuma, T. 337
Yamane, Y. 301
Yoshida, K. 189
Yost, B.A. 79
Yuce, K. 131

Zamir, O. 181
Zaydon, C. 87